


Half-cell high-efficiency solar panel is cutting cells One divides into two, it could reduce thermal resistance, improve output power 5-10W; it could meet 1500V whole system voltage design demand and reduce whole system cost 10%. In comparison to full solar cell modules, this one cell's sub-fissure, power attenuation and sunshine occlusion is more lower; and excellent high temperature character. It is the best choice for large ground power station, Ecological agriculture fishery project and Distributed beach project.

SB-B-12DC-A

12 inch rechargeable Table Fan



Detail parameter

Voltage	DC12V
Power	13W ± 2W.
Lighting	no.
Timing	60 min.
Speed	3 speed.
Blade	5 pp.
Grill	Plastic net.
Height	390mm.
Angle	90-degree oscillation.
Accumulator	11.1V, 4AH*1.
Size	1pc one box 38.5*14.5*39.5CM
USE TIME	3-6huors
G.W	2.2 Kg

SB-S-16DC-C

16 inch DC Stand Fan



Detail parameter

Voltage	DC12V.
Power	15W ± 2W.
Lighting	no.
Timing	60 minutes.
Speed	3 speed.
Blade	3 pp.
Grill	430*120*1.2mm.
Height	1.08m to 1.28m.
Angle	90-degree oscillation.
Round Base	400mm (diameter).
Size	43*23*43CM (2pcs/box)
G.W	8.5KG

Half-cell high-efficiency solar panel is cutting cells One divides into two, it could reduce thermal resistance, improve output power 5-10W; it could meet 1500V whole system voltage design demand and reduce whole system cost 10%. In comparison to full solar cell modules, this one cell's sub-fissure, power attenuation and sunshine occlusion is more lower; and excellent high temperature character. It is the best choice for large ground power station, Ecological agriculture fishery project and Distributed beach project.



SB-S-16DC-L

16 inch DC Stand Fan

Detail parameter

Voltage	DC12V
Power	15W ± 2W.
Lighting	9 pcs LED.
Timing	no.
Speed	3 speed.
Blade	3 pp.
Grill	430*120*1.2mm.
Height	for 1.13m to 1.33m.
Angle	90-degree oscillation.
Round Base	400mm (diameter).
Size	43*23*43CM (2pcs/box)
G.W	8.5 Kg



SB-S-16DC-S

16 inch DC Stand Fan

Detail parameter

Voltage	DC12V.
Power	15W ± 2W.
Lighting	9 pcs LED.
Timing	no.
Speed	3 speed.
Blade	3 pp.
Grill	430*120*1.2mm.
Height	1.08m to 1.28m.
Angle	90-degree oscillation.
Round Base	400mm (diameter).
Size	43*23*43CM (2pcs/box)
G.W	8.5KG



Half-cell high-efficiency solar panel is cutting cells One divides into two, it could reduce thermal resistance, improve output power 5-10W; it could meet 1500V whole system voltage design demand and reduce whole system cost 10%. In comparison to full solar cell modules, this one cell's sub-fissure, power attenuation and sunshine occlusion is more lower; and excellent high temperature character. It is the best choice for large ground power station, Ecological agriculture fishery project and Distributed beach project.



SB-S-16DC-X

16 inch DC Remote Control Stand Fan

Detail parameter

Voltage	DC12V
Power	15W ± 2W.
Lighting	9 pcs LED.
Timing	no.
Speed	3 speed.
Blade	5 pp.
Grill	430*102*1.1mm.
Height	for 1.13m to 1.33m.
Angle	90-degree oscillation.
Round Base	400mm (diameter).
Size	43*23*43CM (2pcs/box)
G.W	8.5 Kg
Port	Have USB




SB-T-12DC-A

12 inch DC Table Fan

Detail parameter

Voltage	DC12V.
Power	15W ± 2W.
Lighting	no.
Timing	no.
Speed	3 speed.
Blade	5 pp.
Grill	340*88*1.1mm.
Height	510mm.
Angle	90-degree oscillation.
Size	44*19.5*45CM (2pcs/box)
G.W	4.2kg

Half-cell high-efficiency solar panel is cutting cells One divides into two,it could reduce thermal resistance,improve output power 5-10W;it could meet 1500V whole system voltage design demand and reduce whole system cost 10%. In comparison to full solar cell modules,this one cells subfissure,power attenuation and sunshine occlusion is more lower;and excellent high temperature character. It is the best choice for large ground power station,Ecological agricul-ture fishery project and Distributed beach project.



SB-T-16DC-A

16 inch DC Table Fan

Detail parameter

Voltage	DC12V
Power	15W ± 2W.
Lighting	no.
Timing	no.
Speed	3 speed.
Blade	5 pp.
Grill	430*102*1.1mm.
Height	550mm.
Angle	90-degree oscillation.
Size	44*20.5*45CM (2pcs/box)
G.W	4.6 Kg



SB-T-16DC-H

16 inch DC Table Fan

Detail parameter

Voltage	DC12V.
Power	15W ± 2W.
Lighting	no.
Timing	60 min.
Speed	3 speed.
Blade	3 pp.
Grill	430*102*1.1mm.
Height	550mm.
Angle	90-degree oscillation.
Size	44*20.5*45CM (2pcs/box)
G.W	4.6kg



SB-T-16DC-L

16 inch DC Table Fan

Detail parameter

Voltage	DC12V.
Power	15W ± 2W.
Lighting	no.
Timing	no.
Speed	3 speed.
Blade	5 pp.
Grill	430*102*1.1mm.
Height	550mm.
Angle	90-degree oscillation.
Size	44*20.5*45CM (2pcs/box)
G.W	4.6kg